

Technical Type		Laser
Overview	Model	G580
	Customer Logo	Customized
	Main Body Color	
		Customized
	Appearance (Design Drawing)	
	Package Contents	Main Unit ×1; Charging Dock ×1; Adapter ×1; Remote Control ×1; Mop Cloth ×2 (one installed on the unit, one spare in the box); Side Brush ×2; HEPA Filter ×2 (one installed in the dustbin, one spare in the box)

Detailed Parameters

Appearance	Color	Optional
Parameters	Main Unit Dimensions (D ×	330mm*100mm (including wheel
	H)mm	height)
	Main Unit Material	ABS+PC (heat resistant up to 750°)
	Net Weight (kg)	3.1KG
	Gross Weight (1-in-1 carton)	5.0KG
	Color Box Dimensions (L ×	350x190x428mm
	W × H)mm	
	Buttons	Silver
	Glass Panel	Plastic
	Decorative Ring	Silver
	Side Brush Color	Gray
	Dustbin Color	BLue
	Roller Brush Cover Color	Black
	Roller Brush Shaft Color	Black
Other	Laser Sensor	360°, 6m
Parameters	Sensors	21PCS

		Fan	Domestic, DC brushless
		Side Brush / Wheel / Main	Standard, DC brushed
		Brush Motors	
		Control Panel	Physical switch
		Cleaning Time (min)	~180 min
		Recharge Time (min)	Recharges at ~20% battery
		Charging Time (H)	~5-6
		Operating Noise (dB)	60/68/74/78
		Operating Temperature /	0-40°C 85/%
		Humidity	
		Threshold Crossing Height	18mm
		(mm)	
		Rated Power (Main Unit) (W)	25W
		Vacuum Suction (Pa)	2700/6000 (optional)
		Water Tank Capacity (ml)	250ml
		Dustbin Capacity (ml)	350ml
Func	tions	Anti-drop Function	Supported
		App Smart Control	Supported
		OTA Updates	Supported
		Real-time Mapping	Supported
		Map Storage	Up to 5 maps
		Zoned Cleaning	Supported
		App No-go Zones	Supported
		Scheduled Cleaning	Supported
		Water Tank Control	Electric, 3 levels
		Vacuum & Mop Combo	Interchangeable water tank / dustbin
		Virtual Wall	Supported
		Resume Cleaning After Charging	Supported
		Room Naming	Supported
		Al Smart Speaker Connection	Supported
		Carpet Detection	Not supported
		Bluetooth Smart Networking	Supported
		UV Sterilization	Not supported
配 件	Battery	Brand	GanFeng
15		Туре	Lithium-ion
		Capacity	2600mAh
		Nominal Voltage	14.6V
		Charging Voltage	16.8V
	Adapter	Input	AC 100 ~ 240V, 50/60Hz, 0.6A

	Output	19.0V/ (0.6A)
Charging	Input Voltage/Current	19.0V/0.6A
Dock	Output Voltage/Current	19.0V/ (0.6A)
	Dimensions	166*146*79mm
Side Brush	Bristle Length(mm)	70mm
	Quantity	4 pcs (2 installed, 2 spare in package)
Roller	Bristle Length(mm)	12mm
Brush		
Cleaning	Bird-shaped Brush with Blade	yes
Tool		
Primary	Material	HEPA
Filter		
HEPA	Grade	H11
Filter		
HEPA +	Grade	HEPA + Filter Sponge, PE band
Filter Net		packaging
Remote	without screen	Optional
Control		
Safety & Certific	ation	CE、FCC、ROHS